
Freeform Search



Search History

DATE: Wednesday, April 07, 2004 Printable Copy Create Case

| | | Hit Count Set Name | | | |
|---|---|--------------------|------------|--|--|
| side by side | | | result set | | |
| DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | | | | |
| <u>L18</u> | L17 not 116 | 9 | <u>L18</u> | | |
| <u>L17</u> | 114 and 115 | 11 | <u>L17</u> | | |
| <u>L16</u> | 114 same L15 | 2 | <u>L16</u> | | |
| <u>L15</u> | (inter\$1node or inter\$1process\$5) near2 communication | 6706 | <u>L15</u> | | |
| <u>L14</u> | (centrol\$5 or global) adj controller | 193 | <u>L14</u> | | |
| <u>L13</u> | access\$5 same ("another" with memory with (node or processor or host)) | 1 | <u>L13</u> | | |
| <u>L12</u> | access\$5 with "another" with memory with (node or processor or host) | 1 | <u>L12</u> | | |
| <u>L11</u> | access\$5 with "another" with memory | 1 | <u>L11</u> | | |
| <u>L10</u> | access\$5 with another with memory | 1 | <u>L10</u> | | |
| <u>L9</u> | access\$5 with another with memory with (node or processor) | 1 | <u>L9</u> | | |
| DB=USPT; PLUR=YES; OP=ADJ | | | | | |
| <u>L8</u> | access\$5 with another with memory with (node or processor) | 0 | <u>L8</u> | | |
| <u>L7</u> | 13 and L6 | 95 | <u>L7</u> | | |
| <u>L6</u> | 14 or L5 | 30130 | <u>L6</u> | | |


Page 2 of 2

| <u>L5</u> | 709/\$7.ccls. | 14886 | <u>L5</u> |
|-----------|-------------------------------------|-------|-----------|
| <u>L4</u> | 711/\$7.ccls. | 16086 | <u>L4</u> |
| <u>L3</u> | 11 same L2 | 230 | <u>L3</u> |
| <u>L2</u> | shared adj memory | 7254 | <u>L2</u> |
| <u>L1</u> | interprocess\$5 near2 communication | 2396 | <u>L1</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -




US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

Database:

US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:



Refine Search

Recall Text 🔷 Clear

Interrupt

Search History

DATE: Wednesday, April 07, 2004 Printable Copy Create Case

Set Name Query side by side

Hit Count Set Name result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L3</u> 11 and L2

76 <u>L3</u>

<u>L2</u> interrupt\$5 and error

70345 L2

365

<u>L1</u> 711/124.ccls. or 709/216.ccls.

<u>L1</u>

END OF SEARCH HISTORY